

	Type	L #	Hits	Search T xt	DBs	Tim Stamp	Comm n ts
1	BRS	L1	8811	endoscope\$1	USPA T	2003/10/15 13:17	
2	BRS	L2	54695	simulate	USPA T	2003/10/15 13:17	
3	BRS	L3	915	biofilm	USPA T	2003/10/15 13:17	
4	BRS	L5	0	4 same 3	USPA T	2003/10/15 13:17	
5	BRS	L6	1	4 and 3	USPA T	2003/10/15 13:17	
6	BRS	L7	2	1 and 2 and 3	USPA T	2003/10/15 13:20	
7	BRS	L8	1	7 not 6	USPA T	2003/10/15 13:20	
8	BRS	L9	7	1 same 3	USPA T	2003/10/15 13:21	
9	BRS	L10	1	9 and 2	USPA T	2003/10/15 13:21	
10	BRS	L11	0	10 not 7	USPA T	2003/10/15 13:21	
11	BRS	L12	6	9 not 7	USPA T	2003/10/15 13:24	
12	BRS	L13	1	"4169123".PN.	USPA T	2003/10/15 13:22	
13	BRS	L14	84545	spectral	USPA T	2003/10/15 13:24	
14	BRS	L15	92090 3	light	USPA T	2003/10/15 13:24	
15	BRS	L16	1	3 same 14	USPA T	2003/10/15 13:26	
16	BRS	L17	1	"5371004".PN.	USPA T	2003/10/15 13:25	
17	BRS	L18	61	15 same 3	USPA T	2003/10/15 13:26	
18	BRS	L19	6	18 and 1	USPA T	2003/10/15 13:28	
19	BRS	L20	41291 5	clean\$3	USPA T	2003/10/15 13:28	
20	BRS	L21	1	1 same 20 same 14	USPA T	2003/10/15 13:29	
21	BRS	L4	24	1 same 2	USPA T	2003/10/15 13:29	